J Am Acad Audiol 19:808–810 (2008)

Index to Volume 19

Authors

Apalla K, 557
Ashmead D, 741
Atcherson SR, 686

Balough B, 325
Bamiou D-E, 557
Bentler RA, 721
Bhagat SP, 101
Bishop R, 18
Black JR, 33
Boettcher FA, 82
Breheny P, 120
Buckingham J, 564

Cameron S, 377
Carmichael L, 281
Cates WB, 548
Celani KE, 171
Chappell R, 281
Cheng M-Y, 56
Church GT, 18
Ciletti L, 672
Cord MT, 708
Cox LC, 293
Cruickshanks KJ, 281

Danesh AA, 696
Danhauer JL, 171, 612
Dempsey JJ, 5
Dhar S, 571
Dillon H, 377
Dreisbach LE, 325
Driscoll V, 120
Dunn CC, 443, 721

Elhilali M, 708

Federman J, 748
Ferraro JA, 46
Flamme G, 672
Fong L, 435
Fowler CG, 461
Furukawa I, 533

Gardino JA, 686
Garvey C, 226, 233
Garvey K, 226
Gfeller K, 120
Gordon KA, 602
Grant KW, 708
Grantham SL, 337, 799
Gustin C, 435

Hackett TA, 774
Hansen M, 348
Harry T, 542
Hawkins DB, 210, 215, 267, 564
Hendi A, 226
Hillock AR, 780
Hornsby BWY, 158, 758
Hunter LL, 309

Iliadou V-M, 557

Jackson Adrienne, 309
Jackson Amy, 465
Jackson R, 325
Jacobson GP, 337, 542, 630, 740, 799
Johnson CE, 171, 612
Johnson E, 748

Kaf WA, 696
Kalantzis M, 430
Kandylis D, 557
Kaprinis S, 557
Kaylie DM, 630
Keenan D, 465
King JL, 461
Klemp EJ, 571
Knutson JF, 120
Koch LL, 171
Kopke R, 325
Korhonen P, 639
Kramer SJ, 325
Kubli LR, 519
Kuk F, 465, 639

Lau C-C, 465
Lazaro R, 204
Leek MR, 519
Lopez IP, 171
Ludvigsen C, 348
Lundy L, 197, 204, 237, 246

Mancuso D, 56
McArdle R, 496, 507
McCaslin DL, 337, 542, 630, 799
McColl RW, 33
McCoy SL, 293
McMahon CM, 430
McNeill C, 430
Mendel LL, 686
Miranda T, 392
Mixon M, 612
Molis MR, 519
Moncrieff D, 33
Mueller HG, 158, 758

Musiek FE, 481

Newall P, 430
Nondahl DM, 281

Oleson J, 120
Olsholt K, 246
Olson AD, 657
Olszewski C, 120
Ou H, 721

Papaioannou V, 602
Papsin BC, 602
Pecile AF, 612
Perreau AE, 443
Pijl S, 435
Piker EG, 337, 799
Pillion JP, 595
Polka L, 392
Polley DB, 780
Popescu MV, 780
Propes S, 309
Propst E, 602
Psifidis A, 557
Psillas G, 557

Riazi M, 46
Ricketts T, 748
Roberts H, 496
Rosella LC, 602
Rothpletz AM, 741
Royal DW, 780
Ryan HAM, 741

Schaedler A, 210
Schafer EC, 585
Seymour MK, 197
Shahnaz N, 392, 419
Shapiro J, 585
Sharp S, 612
Shaughnessy K, 564
Shelfer J, 237
Shinn JB, 657
Sladen D, 741
Spankovich C, 780
Spitzer JB, 56
St Kaprinis G, 557
Storzbach D, 533
Stuart A, 135
Summers V, 708
Surr RK, 708

Tharpe AM, 741
Torre III P, 325
Trimble K, 602

J Am Acad Audiol 19:808–810 (2008)

Index to Volume 19

Authors

Apalla K, 557
Ashmead D, 741
Atcherson SR, 686

Balough B, 325
Bamiou D-E, 557
Bentler RA, 721
Bhagat SP, 101
Bishop R, 18
Black JR, 33
Boettcher FA, 82
Breheny P, 120
Buckingham J, 564

Cameron S, 377
Carmichael L, 281
Cates WB, 548
Celani KE, 171
Chappell R, 281
Cheng M-Y, 56
Church GT, 18
Ciletti L, 672
Cord MT, 708
Cox LC, 293
Cruickshanks KJ, 281

Danesh AA, 696
Danhauer JL, 171, 612
Dempsey JJ, 5
Dhar S, 571
Dillon H, 377
Dreisbach LE, 325
Driscoll V, 120
Dunn CC, 443, 721

Elhilali M, 708

Federman J, 748
Ferraro JA, 46
Flamme G, 672
Fong L, 435
Fowler CG, 461
Furukawa I, 533

Gardino JA, 686
Garvey C, 226, 233
Garvey K, 226
Gfeller K, 120
Gordon KA, 602
Grant KW, 708
Grantham SL, 337, 799
Gustin C, 435

Hackett TA, 774
Hansen M, 348
Harry T, 542
Hawkins DB, 210, 215, 267, 564
Hendi A, 226
Hillock AR, 780
Hornsby BWY, 158, 758
Hunter LL, 309

Iliadou V-M, 557

Jackson Adrienne, 309
Jackson Amy, 465
Jackson R, 325
Jacobson GP, 337, 542, 630, 740, 799
Johnson CE, 171, 612
Johnson E, 748

Kaf WA, 696
Kalantzis M, 430
Kandylis D, 557
Kaprinis S, 557
Kaylie DM, 630
Keenan D, 465
King JL, 461
Klemp EJ, 571
Knutson JF, 120
Koch LL, 171
Kopke R, 325
Korhonen P, 639
Kramer SJ, 325
Kubli LR, 519
Kuk F, 465, 639

Lau C-C, 465
Lazaro R, 204
Leek MR, 519
Lopez IP, 171
Ludvigsen C, 348
Lundy L, 197, 204, 237, 246

Mancuso D, 56
McArdle R, 496, 507
McCaslin DL, 337, 542, 630, 799
McColl RW, 33
McCoy SL, 293
McMahon CM, 430
McNeill C, 430
Mendel LL, 686
Miranda T, 392
Mixon M, 612
Molis MR, 519
Moncrieff D, 33
Mueller HG, 158, 758

Musiek FE, 481

Newall P, 430
Nondahl DM, 281

Oleson J, 120
Olsholt K, 246
Olson AD, 657
Olszewski C, 120
Ou H, 721

Papaioannou V, 602
Papsin BC, 602
Pecile AF, 612
Perreau AE, 443
Pijl S, 435
Piker EG, 337, 799
Pillion JP, 595
Polka L, 392
Polley DB, 780
Popescu MV, 780
Propes S, 309
Propst E, 602
Psifidis A, 557
Psillas G, 557

Riazi M, 46
Ricketts T, 748
Roberts H, 496
Rosella LC, 602
Rothpletz AM, 741
Royal DW, 780
Ryan HAM, 741

Schaedler A, 210
Schafer EC, 585
Seymour MK, 197
Shahnaz N, 392, 419
Shapiro J, 585
Sharp S, 612
Shaughnessy K, 564
Shelfer J, 237
Shinn JB, 657
Sladen D, 741
Spankovich C, 780
Spitzer JB, 56
St Kaprinis G, 557
Storzbach D, 533
Stuart A, 135
Summers V, 708
Surr RK, 708

Tharpe AM, 741
Torre III P, 325
Trimble K, 602

Tubaugh L, 309
Tufts JB, 519
Tun PA, 293
Turner H, 233
Tyler RS, 443

Vaughan N, 533
Vlaikidis N, 557

Wagener KC, 348
Walden BE, 708
Wallace MT, 780
Weber JE, 758
Weihing J, 481
Weiss D, 5
Westerberg BD, 435
Wiley TL, 281
Williams VA, 171
Wilson RH, 496, 507, 548
Wingfield A, 293
Wise CL, 147
Witt SA, 443
Wolfe J, 585

Zakis JA, 147
Zapala DA, 204, 215, 237, 246, 257, 564
Zhang F, 82
Zhang X, 721

Key Words

acoustic environment, 348
acoustic reflex, 595
acquired stenosis, 233
adaptive dynamic range optimization, 147
admittance, 392, 419
aging, 281, 293, 799
air conduction, 696
Alexander's Law, 630
anatomy, 774
animal model, 780
anterior semicircular canal, 257
articulation index, 215
asymmetry, 33
atrial fibrillation, 237
auditory brainstem response, 481
auditory cortex, 696
auditory development, 135
auditory evoked potentials, 101, 696
auditory neuropathy, 46
auditory perception, 496, 507, 548
auditory processing disorder, 465, 557
auditory steady-state evoked response, 82
auditory steady-state response, 101, 696
auditory stream segregation, 377
aural rehabilitation, 210
autoimmune
autoimmune hearing loss, None
automatic switching, 709
averaged electrode voltages, 435

background noise, 686
balance, 171
benchmarks, 612
benign paroxysmal positional vertigo, 257
bilateral, 158, 443
bilateral hearing loss, 461
bilingual, 5
bimodal, 657
binaural hearing, 481
binaural interaction, 82
brain pathology, 557
brainstem, 82, 696

canalithiasis, 257
(central) auditory processing disorder, 377, 481
central auditory system, 780
central nervous system, 630
cerebellopontine angle, 564
cerebral cortex, 774
children, 135
children, 33
classification, 348
click, 82
clinical, 18
cocaine, 461
cochlear implantation, 197, 602
cochlear implant(s), 56, 120, 435, 443, 657, 721
cochlear microphonic, 46
cochlear pathology, 461
cognitive, 120
cognitive functioning, 293
comorbidity, 337
contralateral recording, 696
coping skills, 337
Coumadin, 237
cranial nerves, 564

deafness, 741
delayed endolymphatic hydrops, 204
dermatologic conditions, 226
development, 780
diagnostics, 481
dichotic, 33
directional, 571
directional microphone, 267, 465
directional processing, 709
disabled children, 602
distortion-product otoacoustic emissions, 325
diversity, 612
dizziness, 337, 542
down-beating nystagmus, 257
drug abuse, 461
dyslexia, 33

ear canal electrode, 46
early hearing detection and intervention programs, 612
earmold, 233
eCAP, 435
elderly, 171, 799
electrically evoked auditory brainstem response, 435
electrically evoked compound action potential, 435
electromagnetic shielding, 46
energy reflectance, 392, 419
epidemiology, 672
evidence-based practice, 657
expansion, 147
external auditory canal, 233
external ear, 226

fall risk, 237
feedback suppression, 748
fluctuating hearing loss, 430
FM system(s), 267, 585
fMRI, 33
frequency transposition, 639

gain, 158
gaze-evoked nystagmus, 630
generator sites, 696

handicap, 337
Healthcare Insurance Portability and Accountability Act, 215
hearing, 171, 774
hearing aid(s), 158, 210, 267, 348, 430, 443, 465, 571, 639, 657, 709, 721, 748, 758
hearing devices, 443
hearing impaired persons, 602
hearing impairment classification, 672
hearing loss, 56, 158, 281, 443, 496, 507, 519, 548
hearing sensitivity, 281
hemodynamic, 33
heroin, 461
horizontal semicircular canal, 257
human, 82

individual differences, 748
inferior vestibular nerve, 542
integrity testing, 435
interaural level difference, 82
interaural time difference, 82
internal noise, 147
intracanicular mass, 237
ipsilateral recording, 696

lateral medullary infarction, 246
learning disabilities, 557
learning disorder, 377
level distribution, 348
linguistic competence, 5
localization, 443
logistic regression, 602

Medicare, 171
Meniere's syndrome, 430
microphone preferences, 709
middle ear, 309, 392, 419
middle latency response, 481
modulation frequency, 696
monotic listening task, 293
multicomponent, 18
multicultural, 612
multifrequency, 18
music, 120, 519
music perception, 56

NAL-NL1, 758
neural organization, 741
neurocognitive tests, 533
newborn hearing screening programs, 612
NHANES, 672
neonatal intensive care unit, 392, 419
noise, 135
noise reduction, 465
normal hearing, 325

objective audiometry, 101
open-ear fittings, 465
open-canal fitting, 571
osteogenesis imperfecta, 595
otitis media, 309, 392, 419
otoacoustic emissions 309, 461
outcome measures, 602

parents' compliance, 612
parents' impressions, 612
pathway, 774
pediatrics, 309
peripheral vestibulopathy, 204
perspectives, None
physicians, 171
plasticity, 780
portable hearing aid programmer, 430
posterior semicircular canal, 257
postlingually deafened adults, 197
preferred gain, 758
presbyacusis, 281
prescriptive formula, 158
prevalence, 672
primate, 774
principal components analysis, 533
privacy index, 215
public health statistics, 672
pure tone audiometry, 672

questionnaire, 612

recording montage, 696
recreational drugs, 461
referrals, 171
rehabilitation, 267
remediation, 780
retrocochlear, 564
risk of falls, 799
rural health, 672

saccule, 542
SADL, 721
satisfaction, 721
screening, 171
self-programmable hearing aids, 430
Sensogram, 430
sensorineural hearing loss, 56, 461
sentence recognition, 135
sex distribution, 672
signal processing, 443
signal-to-noise ratio, 197
sonomotor, 542
spatial stream segregation, 377
speech intelligibility index, 215
speech perception, 120, 443, 496, 507, 548, 686
speech perception testing, 197
speech privacy, 215
speech processing, 293
speech recognition, 533, 585, 639
speech recognition in noise, 5
speech recognition in quiet, 5
speech understanding, 158
spontaneous nystagmus, 630
stent, 233
stimulus artifact, 46
stimulus rate, 696
sudden hearing loss, 461
sudden sensorineural hearing loss, 210, 267
surgical masks, 686
survey, 171
systematic review, 657

temporal resolution, 135
thalamus, 696
theta, 18
trainable, 758
transient evoked otoacoustic emissions, 585
transient otoacoustic emission, 392, 419
tympanometry, 18, 309, 595

ultra-high frequency behavioral thresholds, 325
unilateral deafness, 204

vertigo, 542
vestibular, 630
vestibular evoked myogenic potential(s), 237, 246, 542
vestibular impairment, 799
vestibular schwannoma, 210, 237
visual attention, 741
volume control, 158

Wallenberg's syndrome, 246
well babies, 392
wideband reflectance, 392, 419
word recognition in multitalker babble, 496, 507, 548